

TECHNICAL VERIFICATION PROGRAM FOR IMPORTS OF IRON & STEEL PRODUCTS INDONESIA



1. Regulation

Authority:	<i>Ministry of Trade of the Republic of Indonesia</i>
Notification:	<i>Regulation from the Ministry of Trade of the Republic of Indonesia Numbered 82/M-DAG/PER/12/2016 dated 09 December 2016 Decree from the Ministry of Trade of the Republic of Indonesia Numbered 1372/M-DAG/KEP/12/2016 dated 30 December 2016</i>
Starting date:	<i>03/01/2017</i>
Appointed company(ies):	<i>KSO Sucofindo – Surveyor Indonesia with BUREAU VERITAS BIVAC BV as subcontractor</i>
Scope of the regulation:	<i>Pre-shipment Technical Verification of goods imported into Indonesia</i>
Assessment based on:	<ul style="list-style-type: none"> ▪ <i>Quality, Quantity</i> ▪ <i>Supervision of loading and sealing of FCL containers</i> ▪ <i>Documentary review</i> ▪ <i>Import eligibility</i>
Remark:	<i>N/A</i>

2. Products subject

Subjected goods:	<i>See Annex 1</i>
Second-hand goods:	<i>N/A</i>
Restricted goods:	<i>N/A</i>
Prohibited goods:	<i>N/A</i>
Counterfeited goods:	<i>N/A</i>
Exempted goods:	<i>N/A</i>
Minimum value subject to the programme:	<i>No minimum value</i>

3. Technical requirement

Labelling requirements:	<i>Labelling or 'inspected' sign on sampled packaging</i>
Other specific requirements (*):	<p><i>As per KSO working instructions for verification of iron and steel products detailed in IK.VPTI.0301.36 dated 31st January, 2023</i></p> <p><i>As of 01/09/2009, fumigation of wooden packaging is required before shipment of goods to Indonesia.</i></p> <p><i>Photos of all the process of physical inspection (in particular photos to confirm the condition of goods), including the supervision of loading and sealing of FCL containers (Photo showing the inspector, VO number and part of the goods).</i></p> <p><i>Preliminary checking would be carried out before Inspection.</i></p> <p><i>SNI marking on goods to be compliant with that shown on VO, if any.</i></p>

– DATA SHEET –

BUREAU VERITAS

4. Application

Applicant:	Importer
Application name:	Verification Order (VO)
Issued by:	KSO SCISI (KSO Sucofindo – Surveyor Indonesia)
Amount by which the application value/quantity may be exceeded:	No specific requirement for value. For quantity in excess, the importer shall require KSO SCISI for amendment of the VO.
Part shipments:	Allowed
Changes from sea to air:	No specific requirement
Required documents:	Final invoice, Packing list and any other document deemed necessary (Mill Test Certificate – MTC or Laboratory Test result or Exporter Declaration Form, for products required). If no Final Documents received, Pro-forma documents can be used to issue the draft LS considering the different time zones inspection.
Required information:	Final invoice to show the breakdown of FOB value, origin and quantity of each line item.
Application office(s):	Application to be lodged by the importer to KSO. KSO transmits VOs to Bureau Veritas China.

5. Control testing requirements

Applicable cases:	Categories of Alloy steel subject to testing
Laboratory criteria:	Independent Accredited Laboratory
Testing:	According to the applicable standard

6. Physical inspection requirements

Scope of inspection:	Review of Quality, Quantity and Markings to ensure compliance between goods, documents and Verification Order.
Destination inspection:	Not allowed. Technical verification in the country of loading
Witness of loading:	Mandatory
Seal of container:	Mandatory for Full Container Load (FCLs)
Sampling:	In case of control testing (see section 6 as above)
Validity:	Inspection Report validity from inspection date is 30 days
Type of report issued:	Inspection report (IR)

7. Conclusion of the Assessment

- Draft Laporan Surveyor (DLS) submitted by Bureau Veritas BIVAC BV to KSO in XML format through electronic data transfer for further issuance of the final LS by KSO.
- Discrepancy Report (non-conformities report) is issued by Bureau Veritas BIVAC BV, should verification not be satisfactory or goods not compliant with Pro forma documents or in the absence of mandatory technical documents.

LS is delivered to Importer and to the Ministry of Trade for clearance purposes.

– DATA SHEET –

BUREAU VERITAS

8. Fees

Paid in advance by the importer to KSO Sucofindo – Surveyor Indonesia.

Nevertheless, Bureau Veritas BIVAC may invoice the Seller in the event of supplementary inspection visits (in vain or unsatisfactory results or Physical Inspection Report validity has expired). The costs incurred by the Seller in presenting the goods for inspection, such as unpacking, handling, testing, sampling, repacking... are for the account of the Seller.

9. Contact (*)

REGIONAL CENTER SHANGHAI
4th Floor, No. 1288 Waimalu Road
Huangpu District
Shanghai – China
Tel: (86) 21 23 19 00 02
kso.vo@bureauveritas.com

10. Other relevant information

N/A

11. Geographical inspection zones

BUREAU VERITAS BIVAC BV operates in all countries (except Singapore, Malaysia, Thailand, South Korea, and China).

(*) Latest updates

The information contained herein is for the purpose of facilitating Technical Verification program and does not relieve Exporters or Importers from their obligations in respect of compliance with the import regulations of the country of importation. Although every effort has been made to ensure the correctness of the information, as at the date of issuance of this datasheet, Bureau Veritas BIVAC does not accept any responsibility for errors or omissions and, furthermore, the information may subsequently be subject to change as may be announced by the Authorities in the country of importation. Consequently, Exporters are advised to check with Bureau Veritas BIVAC, prior to shipment of the goods, if there is any doubt concerning the issuance of a Survey Report (LS). For further information, or clarification, please contact Bureau Veritas China.

Annex 1: List of subjected goods

X36 IRON/STEEL, ALLOY STEEL AND DERIVATIVE PRODUCTS		
Group A		
	HS Code	Description of Goods
	72.08	Flat-rolled products of iron or non-alloy steel, of a width of 600 mm or more, hot-rolled, not clad, plated or coated.
1	7208.10.00	- In coils, not further worked than hot-rolled, with patterns in relief
		- Other, in coils, not further worked than hot-rolled, pickled :
2	7208.25.00	-- Of a thickness of 4.75 mm or more
3	7208.26.00	-- Of a thickness of 3 mm or more but less than 4.75 mm
	7208.27	-- Of a thickness of less than 3 mm :
		--- Of a thickness of less than 2 mm :
4	7208.27.11	---- Containing by weight 0.6 % or more of carbon
5	7208.27.19	---- Other
		--- Other :
6	7208.27.91	---- Containing by weight 0.6 % or more of carbon
7	7208.27.99	---- Other
		- Other, in coils, not further worked than hot-rolled :
8	7208.36.00	-- Of a thickness exceeding 10 mm
9	7208.37.00	-- Of a thickness of 4.75 mm or more but not exceeding 10 mm
10	7208.38.00	-- Of a thickness of 3 mm or more but less than 4.75 mm
	7208.39	-- Of a thickness of less than 3 mm :
11	7208.39.10	--- Containing by weight less than 0.6 % of carbon and of a thickness of 0.17 mm or less
12	7208.39.90	--- Other
13	7208.40.00	- Not in coils, not further worked than hot-rolled, with patterns in relief
		- Other, not in coils, not further worked than hot-rolled :
14	7208.51.00	-- Of a thickness exceeding 10 mm
15	7208.52.00	-- Of a thickness of 4.75 mm or more but not exceeding 10 mm
16	7208.53.00	-- Of a thickness of 3 mm or more but less than 4.75 mm
	7208.54	-- Of a thickness of less than 3 mm :
17	7208.54.10	--- Containing by weight less than 0.6 % of carbon and of a thickness of 0.17 mm or less
18	7208.54.90	--- Other
	7208.90	- Other :
19	7208.90.10	-- Corrugated

– DATA SHEET –

BUREAU VERITAS

Group A		
	HS Code	Description of Goods
20	7208.90.20	-- Other, containing by weight less than 0.6 % of carbon and of a thickness of 0.17 mm or less
21	7208.90.90	-- Other
	72.09	Flat-rolled products of iron or non-alloy steel, of a width of 600 mm or more, cold-rolled (cold-reduced), not clad, plated or coated.
		- In coils, not further worked than cold-rolled (cold-reduced) :
22	7209.15.00	-- Of a thickness of 3 mm or more
	7209.16	-- Of a thickness exceeding 1 mm but less than 3 mm :
23	7209.16.10	--- Of a width not exceeding 1,250 mm
24	7209.16.90	--- Other
	7209.17	-- Of a thickness of 0.5 mm or more but not exceeding 1 mm :
25	7209.17.10	--- Of a width not exceeding 1,250 mm
26	7209.17.90	--- Other
	7209.18	-- Of a thickness of less than 0.5 mm :
		--- Other :
27	7209.18.91	---- Containing by weight less than 0.6 % of carbon and of a thickness of 0.17 mm or less
28	7209.18.99	---- Other
		- Not in coils, not further worked than cold-rolled (cold-reduced) :
29	7209.25.00	-- Of a thickness of 3 mm or more
	7209.26	-- Of a thickness exceeding 1 mm but less than 3 mm :
30	7209.26.10	--- Of a width not exceeding 1,250 mm
31	7209.26.90	--- Other
	7209.27	-- Of a thickness of 0.5 mm or more but not exceeding 1 mm :
32	7209.27.10	--- Of a width not exceeding 1,250 mm
33	7209.27.90	--- Other
	7209.28	-- Of a thickness of less than 0.5 mm :
34	7209.28.10	--- Containing by weight less than 0.6 % of carbon and of a thickness of 0.17 mm or less
35	7209.28.90	--- Other
	7209.90	- Other :
36	7209.90.10	-- Corrugated
37	7209.90.90	-- Other
	72.10	Flat-rolled products of iron or non-alloy steel, of a width of 600 mm or more, clad, plated or coated.
		- Plated or coated with tin :
	7210.11	-- Of a thickness of 0.5 mm or more :

– DATA SHEET –

BUREAU VERITAS

Group A		
	HS Code	Description of Goods
38	7210.11.10	--- Containing by weight 0.6 % or more of carbon
39	7210.11.90	--- Other
	7210.12	-- Of a thickness of less than 0.5 mm :
40	7210.12.10	--- Containing by weight 0.6 % or more of carbon
41	7210.12.90	--- Other
	7210.20	- Plated or coated with lead, including terne-plate :
42	7210.20.10	-- Containing by weight less than 0.6 % of carbon and of a thickness of 1.5 mm or less
43	7210.20.90	-- Other
	7210.30	- Electrolytically plated or coated with zinc :
		-- Containing by weight less than 0.6 % of carbon :
44	7210.30.11	--- Of a thickness not exceeding 1.2 mm
45	7210.30.12	--- Of a thickness exceeding 1.2 mm but not exceeding 1.5 mm
46	7210.30.19	--- Other
		-- Other :
47	7210.30.91	--- Of a thickness not exceeding 1.2 mm
48	7210.30.99	--- Other
		- Otherwise plated or coated with zinc :
	7210.41	-- Corrugated :
		--- Containing by weight less than 0.6 % of carbon :
49	7210.41.11	---- Of a thickness not exceeding 1.2 mm
50	7210.41.12	---- Of a thickness exceeding 1.2 mm but not exceeding 1.5 mm
51	7210.41.19	---- Other
		--- Other :
52	7210.41.91	---- Of a thickness not exceeding 1.2 mm
53	7210.41.99	---- Other
	7210.49	-- Other :
		--- Containing by weight less than 0.6 % of carbon :
54	7210.49.11	---- Coated with zinc by the iron-zinc alloyed coating method, containing by weight less than 0.04 % of carbon and of a thickness not exceeding 1.2 mm
55	7210.49.12	---- Other, of a thickness not exceeding 1.2 mm
56	7210.49.13	---- Of a thickness exceeding 1.2 mm but not exceeding 1.5 mm
57	7210.49.19	---- Other
		--- Other :
58	7210.49.91	---- Of a thickness not exceeding 1.2 mm
59	7210.49.99	---- Other
		- Plated or coated with aluminium :

– DATA SHEET –

BUREAU VERITAS

Group A		
	HS Code	Description of Goods
	7210.61	-- Plated or coated with aluminium-zinc alloys :
		--- Containing by weight less than 0.6 % of carbon :
60	7210.61.11	---- Of a thickness not exceeding 1.2 mm
61	7210.61.12	---- Of a thickness exceeding 1.2 mm but not exceeding 1.5 mm
62	7210.61.19	---- Other
		--- Other :
63	7210.61.91	---- Of a thickness not exceeding 1.2 mm
64	7210.61.92	---- Other, corrugated
65	7210.61.99	---- Other
	7210.69	-- Other :
		--- Containing by weight less than 0.6 % of carbon :
66	7210.69.11	---- Of a thickness not exceeding 1.2 mm
67	7210.69.12	---- Of a thickness exceeding 1.2 mm but not exceeding 1.5 mm
68	7210.69.19	---- Other
		--- Other :
69	7210.69.91	---- Of a thickness not exceeding 1.2 mm
70	7210.69.99	---- Other
	7210.70	- Painted, varnished or coated with plastics :
		-- Containing by weight less than 0.6 % of carbon and of a thickness of 1.5 mm or less :
71	7210.70.11	--- Painted
72	7210.70.19	--- Other
		-- Other :
73	7210.70.91	--- Painted
74	7210.70.99	--- Other
	7210.90	- Other :
75	7210.90.10	-- Containing by weight less than 0.6 % of carbon and of a thickness of 1.5 mm or less
76	7210.90.90	-- Other
	72.11	Flat-rolled products of iron or non-alloy steel, of a width of less than 600 mm, not clad, plated or coated.
		- Not further worked than hot-rolled :
	7211.13	-- Rolled on four faces or in a closed box pass, of a width exceeding 150 mm and a thickness of not less than 4 mm, not in coils and without patterns in relief :
		--- Containing by weight less than 0.6 % of carbon :
77	7211.13.11	---- Hoop and strip; Universal plates
78	7211.13.12	---- Corrugated

– DATA SHEET –

BUREAU VERITAS

Group A		
	HS Code	Description of Goods
79	7211.13.19	---- Other
		--- Other :
80	7211.13.91	---- Hoop and strip; Universal plates
81	7211.13.99	---- Other
	7211.14	-- Other, of a thickness of 4.75 mm or more :
		--- Containing by weight less than 0.6 % of carbon :
82	7211.14.13	---- Hoop and strip; Universal plates
83	7211.14.14	---- Corrugated
84	7211.14.15	---- Coils for re-rolling
85	7211.14.19	---- Other
		--- Other :
86	7211.14.91	---- Hoop and strip; Universal plates
87	7211.14.92	---- Corrugated
88	7211.14.93	---- Coils for re-rolling
89	7211.14.99	---- Other
	7211.19	-- Other :
		--- Containing by weight less than 0.6 % of carbon :
90	7211.19.13	---- Hoop and strip; Universal plates
91	7211.19.14	---- Corrugated
92	7211.19.15	---- Coils for re-rolling
93	7211.19.19	---- Other
		--- Other :
94	7211.19.91	---- Hoop and strip; Universal plates
95	7211.19.92	---- Corrugated
96	7211.19.93	---- Coils for re-rolling
97	7211.19.99	---- Other
		- Not further worked than cold-rolled (cold-reduced) :
	7211.23	-- Containing by weight less than 0.25 % of carbon :
98	7211.23.10	--- Corrugated
99	7211.23.20	--- Hoop and strip, of a width not exceeding 400 mm
100	7211.23.30	--- Other, of a thickness of 0.17 mm or less
101	7211.23.90	--- Other
	7211.29	-- Other :
102	7211.29.10	--- Corrugated
103	7211.29.20	--- Hoop and strip, of a width not exceeding 400 mm
104	7211.29.30	--- Other, of a thickness of 0.17 mm or less
105	7211.29.90	--- Other

– DATA SHEET –

BUREAU VERITAS

Group A		
	HS Code	Description of Goods
	7211.90	- Other :
		-- Containing by weight less than 0.6 % of carbon :
106	7211.90.11	--- Hoop and strip, of a width not exceeding 25 mm
107	7211.90.12	--- Hoop and strip, of a width exceeding 400 mm
108	7211.90.13	--- Corrugated
109	7211.90.14	--- Other, of a thickness of 0.17 mm or less
110	7211.90.19	--- Other
		-- Other :
111	7211.90.91	--- Of a thickness of 0.17 mm or less
112	7211.90.99	--- Other
	72.12	Flat-rolled products of iron or non-alloy steel, of a width of less than 600 mm, clad, plated or coated.
	7212.10	- Plated or coated with tin :
		-- Containing by weight less than 0.6 % of carbon :
113	7212.10.11	--- Hoop and strip, of a width not exceeding 25 mm
114	7212.10.13	--- Hoop and strip, of a width exceeding 25 mm but not exceeding 400 mm
115	7212.10.19	--- Other
		-- Other :
116	7212.10.92	--- Hoop and strip, of a width not exceeding 25 mm
117	7212.10.93	--- Hoop and strip, of a width exceeding 25 mm but not exceeding 400 mm
118	7212.10.99	--- Other
	7212.20	- Electrolytically plated or coated with zinc :
119	7212.20.10	-- Hoop and strip, of a width not exceeding 400 mm
120	7212.20.20	-- Other, containing by weight less than 0.6 % of carbon and of a thickness of 1.5 mm or less
121	7212.20.90	-- Other
	7212.30	- Otherwise plated or coated with zinc :
		-- Containing by weight less than 0.6 % of carbon :
122	7212.30.11	--- Hoop and strip, of a width not exceeding 25 mm
123	7212.30.12	--- Hoop and strip, of a width exceeding 25 mm and not exceeding 400 mm
124	7212.30.13	--- Other, of a thickness of 1.5 mm or less
125	7212.30.14	--- Other, coated with zinc by the iron-zinc alloy coating method, containing by weight less than 0.04 % of carbon
126	7212.30.19	--- Other
127	7212.30.90	-- Other
	7212.40	- Painted, varnished or coated with plastics :
		-- Containing by weight less than 0.6 % of carbon :

– DATA SHEET –

BUREAU VERITAS

Group A		
	HS Code	Description of Goods
128	7212.40.11	--- Hoop and strip, of a width not exceeding 400 mm
129	7212.40.12	--- Other hoop and strip
130	7212.40.19	--- Other
		-- Other :
131	7212.40.91	--- Hoop and strip, of a width not exceeding 400 mm
132	7212.40.92	--- Other hoop and strip; Universal plates
133	7212.40.99	--- Other
	7212.50	- Otherwise plated or coated :
		-- Plated or coated with aluminium-zinc alloys :
134	7212.50.23	--- Hoop and strip, of a width not exceeding 25 mm
135	7212.50.24	--- Other hoop and strip; Universal plates
136	7212.50.29	--- Other
		-- Other :
137	7212.50.93	--- Hoop and strip, of a width not exceeding 25 mm
138	7212.50.94	--- Other hoop and strip; Universal plates
139	7212.50.99	--- Other
	7212.60	- Clad :
		-- Containing by weight less than 0.6 % of carbon :
140	7212.60.11	--- Hoop and strip
141	7212.60.12	--- Other, of a thickness of 1.5 mm or less
142	7212.60.19	--- Other
		-- Other :
143	7212.60.91	--- Hoop and strip
144	7212.60.99	--- Other
	72.13	Bars and rods, hot-rolled, in irregularly wound coils, of iron or non-alloy steel.
	7213.10	- Containing indentations, ribs, grooves or other deformations produced during the rolling process :
145	7213.10.10	-- Of circular cross-section measuring not exceeding 50 mm in diameter
146	7213.10.90	-- Other
147	7213.20.00	- Other, of free-cutting steel
		- Other :
	7213.91	-- Of circular cross-section measuring less than 14 mm in diameter :
148	7213.91.10	--- Of a kind used for producing soldering sticks
149	7213.91.20	--- Of a kind used for concrete reinforcement (rebars)
150	7213.91.90	--- Other
	7213.99	-- Other :

– DATA SHEET –

BUREAU VERITAS

Group A		
	HS Code	Description of Goods
151	7213.99.20	- - - Of a kind used for concrete reinforcement (rebars)
152	7213.99.90	- - - Other
	72.14	Other bars and rods of iron or non-alloy steel, not further worked than forged, hot-rolled, hot-drawn or hot-extruded, but including those twisted after rolling.
	7214.10	- Forged :
		- - Containing by weight less than 0.6 % of carbon :
153	7214.10.11	- - - Of circular cross-section
154	7214.10.19	- - - Other
		- - Other :
155	7214.10.21	- - - Of circular cross-section
156	7214.10.29	- - - Other
	7214.20	- Containing indentations, ribs, grooves or other deformations produced during the rolling process or twisted after rolling :
		- - Containing by weight less than 0.6 % of carbon :
		- - - Of circular cross-section :
157	7214.20.31	- - - - Of a kind used for concrete reinforcement (rebars)
158	7214.20.39	- - - - Other
		- - - Other :
		- - Other :
		- - - Of circular cross-section :
		- - - Other :
159	7214.20.69	- - - - Other
	7214.30	- Other, of free-cutting steel :
160	7214.30.10	- - Of circular cross section
161	7214.30.90	- - Other
		- Other :
	7214.91	- - Of rectangular (other than square) cross-section :
		- - - Containing by weight less than 0.6 % of carbon :
162	7214.91.11	- - - - Containing by weight 0.38 % or more of carbon and less than 1.15 % of manganese
163	7214.91.12	- - - - Containing by weight 0.17 % or more but not more than 0.46 % of carbon and 1.2 % or more but less than 1.65 % of manganese
164	7214.91.19	- - - - Other
		- - - Containing by weight 0.6 % or more of carbon :
165	7214.91.21	- - - - Containing by weight less than 1.15 % of manganese
166	7214.91.29	- - - - Other
	7214.99	- - Other :

– DATA SHEET –

BUREAU VERITAS

Group A		
	HS Code	Description of Goods
		- - - Containing by weight 0.6 % or more of carbon, other than of circular cross-section :
167	7214.99.11	- - - - Containing by weight less than 1.15 % of manganese
168	7214.99.19	- - - - Other
		- - - Other :
169	7214.99.91	- - - - Containing by weight less than 0.38 % of carbon, not more than 0.05 % of phosphorus and not more than 0.05 % of sulphur
170	7214.99.92	- - - - Containing by weight 0.38 % or more of carbon and less than 1.15 % of manganese
171	7214.99.93	- - - - Containing by weight 0.17 % or more but less than 0.46 % of carbon and 1.2 % or more but less than 1.65 % of manganese
172	7214.99.99	- - - - Other
	72.15	Other bars and rods of iron or non-alloy steel.
	7215.10	- Of free-cutting steel, not further worked than cold-formed or cold-finished :
173	7215.10.10	- - Of circular cross-section
174	7215.10.90	- - Other
	7215.50	- Other, not further worked than cold-formed or cold-finished :
175	7215.50.10	- - Containing by weight 0.6 % or more of carbon, other than of circular cross-section
		- - Other :
176	7215.50.91	- - - Of a kind used for concrete reinforcement (rebars)
177	7215.50.99	- - - Other
	7215.90	- Other :
178	7215.90.10	- - Of a kind used for concrete reinforcement (rebars)
179	7215.90.90	- - Other
	72.16	Angles, shapes and sections of iron or non-alloy steel.
180	7216.10.00	- U, I or H sections, not further worked than hot-rolled, hot-drawn or extruded, of a height of less than 80 mm
		- L or T sections, not further worked than hot-rolled, hot-drawn or extruded, of a height of less than 80 mm :
	7216.21	- - L sections :
181	7216.21.10	- - - Containing by weight less than 0.6 % of carbon
182	7216.21.90	- - - Other
183	7216.22.00	- - T sections
		- U, I or H sections, not further worked than hot-rolled, hot-drawn or extruded of a height of 80 mm or more :
	7216.31	- - U sections :
184	7216.31.10	- - - Containing by weight 0.6 % or more of carbon

– DATA SHEET –

BUREAU VERITAS

Group A		
	HS Code	Description of Goods
185	7216.31.90	--- Other
	7216.32	-- I sections :
186	7216.32.10	--- Of a thickness of 5 mm or less
187	7216.32.90	--- Other
	7216.33	-- H sections :
		--- Containing by weight less than 0.6 % of carbon :
188	7216.33.11	---- Thickness of the flange not less than thickness of the web
189	7216.33.19	---- Other
190	7216.33.90	--- Other
	7216.40	- L or T sections, not further worked than hot-rolled, hot-drawn or extruded, of a height of 80 mm or more :
191	7216.40.10	-- Containing by weight 0.6 % or more of carbon
192	7216.40.90	-- Other
	7216.50	- Other angles, shapes and sections, not further worked than hot-rolled, hot-drawn or extruded :
		-- Of a height of less than 80 mm :
193	7216.50.11	--- Containing by weight 0.6 % or more of carbon
194	7216.50.19	--- Other
		-- Other :
195	7216.50.91	--- Containing by weight 0.6 % or more of carbon
196	7216.50.99	--- Other
		- Angles, shapes and sections, not further worked than cold-formed or cold-finished :
197	7216.61.00	-- Obtained from flat-rolled products
198	7216.69.00	-- Other
		- Other :
	7216.91	-- Cold-formed or cold-finished from flat-rolled products :
199	7216.91.10	--- Angles, other than slotted angles, containing by weight 0.6 % or more of carbon
200	7216.91.90	--- Other
201	7216.99.00	-- Other
	72.17	Wire of iron or non-alloy steel.
	7217.10	- Not plated or coated, whether or not polished :
202	7217.10.10	-- Containing by weight less than 0.25 % of carbon
		-- Containing by weight 0.25 % or more but less than 0.6 % of carbon :
203	7217.10.22	--- Bead wire; reed wire; wire of a kind used for making strands for pre-stressing concrete; free-cutting steel wire
204	7217.10.29	--- Other

– DATA SHEET –

BUREAU VERITAS

Group A		
	HS Code	Description of Goods
		-- Containing by weight 0.6 % or more of carbon :
205	7217.10.32	--- Spokes wire; bead wire; reed wire; free-cutting steel wire
206	7217.10.33	--- Wire of a kind used for making strands for pre-stressing concrete
207	7217.10.39	--- Other
	7217.20	- Plated or coated with zinc :
208	7217.20.10	-- Containing by weight less than 0.25 % carbon
209	7217.20.20	-- Containing by weight 0.25 % or more but less than 0.45 % of carbon
		-- Containing by weight 0.45 % or more of carbon :
210	7217.20.99	--- Other
	7217.30	- Plated or coated with other base metals :
		-- Containing by weight less than 0.25 % of carbon :
211	7217.30.19	--- Other
		-- Containing by weight 0.25 % or more of carbon but less than 0.6 % of carbon :
212	7217.30.29	--- Other
		-- Containing by weight 0.6 % or more of carbon :
213	7217.30.34	--- Other copper alloy coated steel wire of a kind used in the manufacture of pneumatic rubber tyres
214	7217.30.35	--- Other, plated or coated with tin
215	7217.30.39	--- Other
	7217.90	- Other :
216	7217.90.10	-- Containing by weight less than 0.25 % of carbon
217	7217.90.90	-- Other
		SUB-CHAPTER III _STAINLESS STEEL
	73.01	Sheet piling of iron or steel, whether or not drilled, punched or made from assembled elements; welded angles, shapes and sections, of iron or steel.
218	7301.10.00	- Sheet piling
219	7301.20.00	- Angles, shapes and sections
	73.03	Tubes, pipes and hollow profiles, of cast iron.
		- Tubes and pipes :
		- Other :
220	7303.00.91	-- With an external diameter not exceeding 100 mm
	73.04	Tubes, pipes and hollow profiles, seamless, of iron (other than cast iron) or steel.
		- Line pipe of a kind used for oil or gas pipelines :
221	7304.19.00	-- Other
		- Casing, tubing and drill pipe, of a kind used in drilling for oil or gas :

– DATA SHEET –

BUREAU VERITAS

Group A		
	HS Code	Description of Goods
	7304.22	-- Drill pipe of stainless steel :
222	7304.22.90	--- Other
	7304.23	-- Other drill pipe :
223	7304.23.90	--- Other
	7304.24	-- Other, of stainless steel :
224	7304.24.10	--- Casing and tubing with yield strength less than 80,000 psi and not threaded end
225	7304.24.90	--- Other
	7304.29	-- Other :
226	7304.29.10	--- Casing and tubing with yield strength less than 80,000 psi and not threaded end
227	7304.29.90	--- Other
		- Other, of circular cross-section, of iron or non-alloy steel :
	7304.31	-- Cold-drawn or cold-rolled (cold-reduced) :
228	7304.31.10	--- Drill rod casing and tubing with pin and box threads
229	7304.31.20	--- High-pressure pipe capable of withstanding a pressure of not less than 42,000 psi
230	7304.31.40	--- Other, having an external diameter of less than 140 mm and containing less than 0.45 % by weight of carbon
231	7304.31.90	--- Other
	7304.39	-- Other :
232	7304.39.20	--- High-pressure pipe capable of withstanding a pressure of not less than 42,000 psi
233	7304.39.40	--- Other, having an external diameter of less than 140 mm and containing less than 0.45 % by weight of carbon
234	7304.39.90	--- Other
		- Other, of circular cross-section, of stainless steel :
235	7304.41.00	-- Cold-drawn or cold-rolled (cold-reduced)
236	7304.49.00	-- Other
		- Other, of circular cross-section, of other alloy steel :
	7304.51	-- Cold-drawn or cold-rolled (cold-reduced) :
237	7304.51.10	--- Drill rod casing and tubing with pin and box threads
238	7304.51.20	--- High-pressure pipe capable of withstanding a pressure of not less than 42,000 psi
239	7304.51.90	--- Other
	7304.59	-- Other :
240	7304.59.10	--- High-pressure pipe capable of withstanding a pressure of not less than 42,000 psi

– DATA SHEET –

BUREAU VERITAS

Group A		
	HS Code	Description of Goods
241	7304.59.90	- - - Other
	7304.90	- Other :
242	7304.90.10	- - High-pressure pipe capable of withstanding a pressure of not less than 42,000 psi
243	7304.90.30	- - Other, having an external diameter of less than 140 mm and containing less than 0.45 % by weight of carbon
244	7304.90.90	- - Other
	73.05	Other tubes and pipes (for example, welded, riveted or similarly closed), having circular cross-sections, the external diameter of which exceeds 406.4 mm, of iron or steel.
		- Line pipe of a kind used for oil or gas pipelines :
245	7305.11.00	- - Longitudinally submerged arc welded
	7305.12	- - Other, longitudinally welded :
246	7305.12.10	- - - Electric resistance welded (ERW)
247	7305.12.90	- - - Other
	7305.19	- - Other :
248	7305.19.10	- - - Spiral or helical submerged arc welded
249	7305.19.90	- - - Other
250	7305.20.00	- Casing of a kind used in drilling for oil or gas
		- Other, welded :
	7305.31	- - Longitudinally welded :
251	7305.31.10	- - - Stainless steel pipes and tubes
252	7305.31.90	- - - Other
	7305.39	- - Other :
253	7305.39.10	- - - High-pressure pipe capable of withstanding a pressure of not less than 42,000 psi
254	7305.39.90	- - - Other
255	7305.90.00	- Other
	73.06	Other tubes, pipes and hollow profiles (for example, open seam or welded, riveted or similarly closed), of iron or steel.
		- Line pipe of a kind used for oil or gas pipelines :
	7306.11	- - Welded, of stainless steel :
256	7306.11.10	- - - Longitudinally electric resistance welded (ERW)
257	7306.11.20	- - - Spiral or helical submerged arc welded
258	7306.11.90	- - - Other
	7306.19	- - Other :
259	7306.19.10	- - - Longitudinally electric resistance welded (ERW)
260	7306.19.20	- - - Spiral or helical submerged arc welded

– DATA SHEET –

BUREAU VERITAS

Group A		
	HS Code	Description of Goods
261	7306.19.90	--- Other
		- Casing and tubing of a kind used in drilling for oil or gas :
262	7306.21.00	-- Welded, of stainless steel
263	7306.29.00	-- Other
	7306.30	- Other, welded, of circular cross-section, of iron or non-alloy steel :
		-- Boiler tubes :
264	7306.30.11	--- With an external diameter less than 12.5 mm
265	7306.30.19	--- Other
		-- Copper-plated, fluororesin-coated or zinc-chromated steel tubes with an external diameter not exceeding 15 mm :
266	7306.30.21	--- With an external diameter less than 12.5 mm
267	7306.30.29	--- Other
		-- High-pressure pipe capable of withstanding a pressure of not less than 42,000 psi :
268	7306.30.49	--- Other
		-- Other :
269	7306.30.91	--- With an internal diameter of 12.5 mm or more, an external diameter less than 140 mm and containing by weight less than 0.45 % of carbon
270	7306.30.92	--- With an internal diameter less than 12.5 mm
271	7306.30.99	--- Other
	7306.40	- Other, welded, of circular cross-section, of stainless steel :
		-- Boiler tubes :
272	7306.40.11	--- With an external diameter not exceeding 12.5 mm
273	7306.40.19	--- Other
274	7306.40.20	-- Stainless steel pipes and tubes, with an external diameter exceeding 105 mm
275	7306.40.30	-- Pipes and tubes containing by weight at least 30 % of nickel, with an external diameter not exceeding 10 mm
276	7306.40.90	-- Other
	7306.50	- Other, welded, of circular cross-section, of other alloy steel :
		-- Boiler tubes :
277	7306.50.11	--- With an external diameter less than 12.5 mm
278	7306.50.19	--- Other
		-- Other :
279	7306.50.91	--- With an external diameter less than 12.5 mm
280	7306.50.99	--- Other
		- Other, welded, of non-circular cross-section :
	7306.61	-- Of square or rectangular cross-section :

– DATA SHEET –

BUREAU VERITAS

Group A		
	HS Code	Description of Goods
281	7306.61.10	--- With an external diagonal cross-section less than 12.5 mm
282	7306.61.90	--- Other
	7306.90	- Other :
		-- Copper brazed pipes and tubes :
283	7306.90.11	--- With an external diagonal cross-section less than 12.5 mm
284	7306.90.19	--- Other
		-- Other :
285	7306.90.91	--- High-pressure pipe capable of withstanding a pressure of not less than 42,000 psi, with an internal diameter less than 12.5 mm
286	7306.90.92	--- Other high pressure pipes
287	7306.90.93	--- Other, with an external diagonal cross-section less than 12.5 mm
288	7306.90.99	--- Other
	73.07	Tube or pipe fittings (for example, couplings, elbows, sleeves), of iron or steel.
		- Cast fittings :
	7307.11	-- Of non-malleable cast iron :
289	7307.11.10	--- Hub-less tube or pipe fittings
290	7307.11.90	--- Other
291	7307.19.00	-- Other
		- Other, of stainless steel :
	7307.21	-- Flanges :
292	7307.21.10	--- Having an internal diameter of less than 15 cm
293	7307.21.90	--- Other
	7307.22	-- Threaded elbows, bends and sleeves :
294	7307.22.10	--- Having an internal diameter of less than 15 cm
295	7307.22.90	--- Other
	7307.23	-- Butt welding fittings :
296	7307.23.10	--- Having an internal diameter of less than 15 cm
297	7307.23.90	--- Other
	7307.29	-- Other :
298	7307.29.10	--- Having an internal diameter of less than 15 cm
299	7307.29.90	--- Other
		- Other :
	7307.91	-- Flanges :
300	7307.91.10	--- Having an internal diameter of less than 15 cm
301	7307.91.90	--- Other
	7307.92	-- Threaded elbows, bends and sleeves :
302	7307.92.10	--- Having an internal diameter of less than 15 cm

– DATA SHEET –

BUREAU VERITAS

Group A		
	HS Code	Description of Goods
303	7307.92.90	--- Other
	7307.93	-- Butt welding fittings :
304	7307.93.10	--- Having an internal diameter of less than 15 cm
305	7307.93.90	--- Other
	7307.99	-- Other :
306	7307.99.10	--- Having an internal diameter of less than 15 cm
307	7307.99.90	--- Other
	73.08	Structures (excluding prefabricated buildings of heading 94.06) and parts of structures (for example, bridges and bridge-sections, lock-gates, towers, lattice masts, roofs, roofing frame-works, doors and windows and their frames and thresholds for doors, shutters, balustrades, pillars and columns), of iron or steel; plates, rods, angles, shapes, sections, tubes and the like, prepared for use in structures, of iron or steel.
	7308.10	- Bridges and bridge-sections :
308	7308.10.10	-- Prefabricated modular type joined by shear connectors
309	7308.10.90	-- Other
	7308.20	- Towers and lattice masts :
		-- Towers :
310	7308.20.11	--- Prefabricated modular type joined by shear connectors
311	7308.20.19	--- Other
		-- Lattice masts :
312	7308.20.21	--- Prefabricated modular type joined by shear connectors
313	7308.20.29	--- Other
	7308.30	- Doors, windows and their frames and thresholds for doors :
314	7308.30.10	-- Doors, of a thickness of 6 mm or more but not exceeding 8 mm
315	7308.30.90	-- Other
	7308.40	- Equipment for scaffolding, shuttering, propping or pit-propping :
316	7308.40.10	-- Prefabricated modular type joined by shear connectors
317	7308.40.90	-- Other
	7308.90	- Other :
318	7308.90.20	-- Prefabricated modular type joined by shear connectors
319	7308.90.40	-- Corrugated and curved galvanised plates or sheets prepared for use in conduits, culverts or tunnels
320	7308.90.60	-- Perforated cable trays
		-- Other :
321	7308.90.92	--- Guardrails
322	7308.90.99	--- Other

– DATA SHEET –

BUREAU VERITAS

Group A		
	HS Code	Description of Goods
	73.10	Tanks, casks, drums, cans, boxes and similar containers, for any material (other than compressed or liquefied gas), of iron or steel, of a capacity not exceeding 300 l, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment.
	7310.10	- Of a capacity of 50 l or more :
323	7310.10.10	-- Of tinfoil
		-- Other :
324	7310.10.91	--- Casting, forging or stamping, in the rough state
325	7310.10.99	--- Other
		- Of a capacity of less than 50 l :
	7310.21	-- Cans which are to be closed by soldering or crimping :
326	7310.21.10	--- Of a capacity of less than 1 l
		--- Other :
327	7310.21.91	---- Of tinfoil
328	7310.21.99	---- Other
	7310.29	-- Other :
329	7310.29.10	--- Of a capacity of less than 1 l
		--- Other :
330	7310.29.91	---- Of tinfoil
331	7310.29.92	---- Other casting, forging or stamping, in the rough state
332	7310.29.99	---- Other
	73.12	Stranded wire, ropes, cables, plaited bands, slings and the like, of iron or steel, not electrically insulated.
	7312.10	- Stranded wire, ropes and cables :
333	7312.10.10	-- Locked coils, flattened strands and non-rotating wire ropes
334	7312.10.20	-- Plated or coated with brass and of a diameter not exceeding 3 mm
		-- Other :
335	7312.10.91	--- Stranded steel wires for pre-stressing concrete
336	7312.10.99	--- Other
337	7312.90.00	- Other
338	7316.00.00	Anchors, grapnels and parts thereof, of iron or steel.
	73.17	Nails, tacks, drawing pins, corrugated nails, staples (other than those of heading 83.05) and similar articles, of iron or steel, whether or not with heads of other material, but excluding such articles with heads of copper.
339	7317.00.10	- Wire nails
340	7317.00.20	- Staples
341	7317.00.90	- Other

– DATA SHEET –

BUREAU VERITAS

Group A		
	HS Code	Description of Goods
	73.18	Screws, bolts, nuts, coach screws, screw hooks, rivets, cotters, cotter-pins, washers (including spring washers) and similar articles, of iron or steel.
		- Threaded articles :
342	7318.11.00	-- Coach screws
	7318.12	-- Other wood screws :
343	7318.12.10	--- Having a shank of an external diameter not exceeding 16 mm
344	7318.12.90	--- Other
345	7318.13.00	-- Screw hooks and screw rings
	7318.14	-- Self-tapping screws :
346	7318.14.10	--- Having a shank of an external diameter not exceeding 16 mm
347	7318.14.90	--- Other
	7318.15	-- Other screws and bolts, whether or not with their nuts or washers :
348	7318.15.10	--- Having a shank of an external diameter not exceeding 16 mm
349	7318.15.90	--- Other
	7318.16	-- Nuts :
350	7318.16.10	--- For bolts having a shank of an external diameter not exceeding 16 mm
351	7318.16.90	--- Other
	7318.19	-- Other :
352	7318.19.10	--- Having a shank of an external diameter not exceeding 16 mm
353	7318.19.90	--- Other
		- Non-threaded articles :
354	7318.21.00	-- Spring washers and other lock washers
355	7318.22.00	-- Other washers
	7318.23	-- Rivets :
356	7318.23.10	--- Having an external diameter not exceeding 16 mm
357	7318.23.90	--- Other
358	7318.24.00	-- Cotters and cotter-pins
	7318.29	-- Other :
359	7318.29.10	--- Having a shank of an external diameter not exceeding 16 mm
360	7318.29.90	--- Other

Group B		
	HS Code	Description of Goods
	72.19	Flat-rolled products of stainless steel, of a width of 600 mm or more.
1	7219.32.00	-- Of a thickness of 3 mm or more but less than 4.75 mm
2	7219.33.00	-- Of a thickness exceeding 1 mm but less than 3 mm

– DATA SHEET –

BUREAU VERITAS

Group B		
	HS Code	Description of Goods
3	7219.34.00	-- Of a thickness of 0.5 mm or more but not exceeding 1 mm
4	7219.35.00	-- Of a thickness of less than 0.5 mm
5	7219.90.00	- Other
	72.20	Flat-rolled products of stainless steel, of a width of less than 600 mm.
	7220.20	- Not further worked than cold-rolled (cold-reduced) :
6	7220.20.10	-- Hoop and strip, of a width not exceeding 400 mm
7	7220.20.90	-- Other
	7220.90	- Other :
8	7220.90.10	-- Hoop and strip, of a width not exceeding 400 mm
9	7220.90.90	-- Other
	72.25	Flat-rolled products of other alloy steel, of a width of 600 mm or more.
		- Of silicon-electrical steel :
10	7225.11.00	-- Grain-oriented
11	7225.19.00	-- Other
	7225.30	- Other, not further worked than hot-rolled, in coils :
12	7225.30.10	-- Of high speed steel
13	7225.30.90	-- Other
	7225.40	- Other, not further worked than hot-rolled, not in coils :
14	7225.40.10	-- Of high speed steel
15	7225.40.90	-- Other
	7225.50	- Other, not further worked than cold-rolled (cold-reduced) :
16	7225.50.10	-- Of high speed steel
17	7225.50.90	-- Other
		- Other :
	7225.91	-- Electrolytically plated or coated with zinc :
18	7225.91.10	--- Of high speed steel
19	7225.91.90	--- Other
	7225.92	-- Otherwise plated or coated with zinc :
20	7225.92.10	--- Of high speed steel
21	7225.92.90	--- Other
	7225.99	-- Other :
22	7225.99.10	--- Of high speed steel
23	7225.99.90	--- Other
	72.26	Flat-rolled products of other alloy steel, of a width of less than 600 mm.
		- Of silicon-electrical steel :
	7226.11	-- Grain-oriented :

– DATA SHEET –

BUREAU VERITAS

Group B		
	HS Code	Description of Goods
24	7226.11.10	--- Hoop and strip, of a width not exceeding 400 mm
25	7226.11.90	--- Other
	7226.19	-- Other :
26	7226.19.10	--- Hoop and strip, of a width not exceeding 400 mm
27	7226.19.90	--- Other
	7226.20	- Of high speed steel :
28	7226.20.10	-- Hoop and strip, of a width not exceeding 400 mm
29	7226.20.90	-- Other
		- Other :
	7226.91	-- Not further worked than hot-rolled :
30	7226.91.10	--- Hoop and strip, of a width not exceeding 400 mm
31	7226.91.90	--- Other
	7226.92	-- Not further worked than cold-rolled (cold-reduced) :
32	7226.92.10	--- Hoop and strip, of a width not exceeding 400 mm
33	7226.92.90	--- Other
	7226.99	-- Other :
		--- Hoop and strip, of a width not exceeding 400 mm :
34	7226.99.11	---- Plated or coated with zinc
35	7226.99.19	---- Other
		--- Other :
36	7226.99.91	---- Plated or coated with zinc
37	7226.99.99	---- Other
	72.27	Bars and rods, hot-rolled, in irregularly wound coils, of other alloy steel.
38	7227.10.00	- Of high speed steel
39	7227.20.00	- Of silico-manganese steel
40	7227.90.00	- Other
	72.28	Other bars and rods of other alloy steel; angles, shapes and sections, of other alloy steel; hollow drill bars and rods, of alloy or non-alloy steel.
	7228.10	- Bars and rods, of high speed steel :
41	7228.10.10	-- Of circular cross-section
42	7228.10.90	-- Other
	7228.20	- Bars and rods, of silico-manganese steel :
		-- Of circular cross-section :
43	7228.20.11	--- Not further worked than hot-rolled, hot-drawn or extruded
44	7228.20.19	--- Other
		-- Other :
45	7228.20.91	--- Not further worked than hot-rolled, hot-drawn or extruded

– DATA SHEET –

BUREAU VERITAS

Group B		
	HS Code	Description of Goods
46	7228.20.99	- - - Other
	7228.30	- Other bars and rods, not further worked than hot-rolled, hot-drawn or extruded :
47	7228.30.10	- - Of circular cross-section
48	7228.30.90	- - Other
	7228.40	- Other bars and rods, not further worked than forged :
49	7228.40.10	- - Of circular cross-section
50	7228.40.90	- - Other
	7228.50	- Other bars and rods, not further worked than cold-formed or cold-finished :
51	7228.50.10	- - Of circular cross-section
52	7228.50.90	- - Other
	7228.60	- Other bars and rods :
53	7228.60.10	- - Of circular cross-section
54	7228.60.90	- - Other
	7228.70	- Angles, shapes and sections :
55	7228.70.10	- - Not further worked than hot-rolled, hot-drawn or extruded
56	7228.70.90	- - Other
	7228.80	- Hollow drill bars and rods :
		- - Containing by weight 0.6 % or more of carbon :
57	7228.80.11	- - - Of circular cross-section
58	7228.80.19	- - - Other
59	7228.80.90	- - Other
	72.29	Wire of other alloy steel.
60	7229.20.00	- Of silico-manganese steel
	7229.90	- Other :
61	7229.90.20	- - Of cross-section not exceeding 5.5 mm
62	7229.90.30	- - Other, of high speed steel
		- - Other :
63	7229.90.91	- - - Containing by weight 0.5 % or more of chromium
64	7229.90.99	- - - Other

Group C		
	HS Code	Description of Goods
	73.09	Reservoirs, tanks, vats and similar containers for any material (other than compressed or liquefied gas), of iron or steel, of a capacity exceeding 300 l, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment.

– DATA SHEET –

BUREAU VERITAS

Group C		
	HS Code	Description of Goods
		- Of a kind used for the conveyance or packing of goods :
1	7309.00.19	- - Other
		- Other :
2	7309.00.99	- - Other
3	7313.00.00	Barbed wire of iron or steel; twisted hoop or single flat wire, barbed or not, and loosely twisted double wire, of a kind used for fencing, of iron or steel.
	73.14	Cloth (including endless bands), grill, netting and fencing, of iron or steel wire; expanded metal of iron or steel.
		- Woven cloth :
4	7314.14.00	- - Other woven cloth, of stainless steel
5	7314.20.00	- Grill, netting and fencing, welded at the intersection, of wire with a maximum cross-sectional dimension of 3 mm or more and having a mesh size of 100 cm ² or more
		- Other grill, netting and fencing, welded at the intersection :
6	7314.31.00	- - Plated or coated with zinc
7	7314.39.00	- - Other
		- Other cloth, grill, netting and fencing :
8	7314.42.00	- - Coated with plastics
9	7314.49.00	- - Other
10	7314.50.00	- Expanded metal
	73.15	Chain and parts thereof, of iron or steel.
		- Articulated link chain and parts thereof :
	7315.11	- - Roller chain :
11	7315.11.10	- - - Bicycle or motorcycle chain
		- - - Other :
12	7315.11.91	- - - - Transmission type, of a pitch length of not less than 6 mm and not more than 32 mm
13	7315.11.99	- - - - Other
	7315.12	- - Other chain :
14	7315.12.10	- - - Bicycle or motorcycle chain
15	7315.12.90	- - - Other
	7315.19	- - Parts :
16	7315.19.10	- - - Of bicycle or motorcycle chain
17	7315.19.90	- - - Other
18	7315.20.00	- Skid chain
		- Other chain :
19	7315.81.00	- - Stud-link
20	7315.82.00	- - Other, welded link

– DATA SHEET –

BUREAU VERITAS

Group C		
	HS Code	Description of Goods
	7315.89	-- Other :
21	7315.89.10	--- Bicycle or motorcycle chain
22	7315.89.90	--- Other
	7315.90	- Other parts :
23	7315.90.20	-- Of bicycle or motorcycle chain
24	7315.90.90	-- Other
	73.20	Springs and leaves for springs, of iron or steel.
	7320.10	- Leaf-springs and leaves therefor :
		-- Suitable for use on motor vehicles or machinery of heading 84.29 or 84.30 :
25	7320.10.11	--- Suitable for use on motor vehicles of heading 87.02, 87.03 or 87.04
26	7320.10.12	--- Suitable for use on other motor vehicles
27	7320.10.19	--- Other
28	7320.10.90	-- Other
	7320.20	- Helical springs :
		-- Suitable for use on motor vehicles or machinery of heading 84.29 or 84.30 :
29	7320.20.11	--- For motor vehicles
30	7320.20.12	--- For earth-moving machinery
31	7320.20.19	--- Other
32	7320.20.90	-- Other
	7320.90	- Other :
33	7320.90.10	-- Suitable for use on motor vehicles
34	7320.90.90	-- Other
	73.21	Stoves, ranges, grates, cookers (including those with subsidiary boilers for central heating), barbecues, braziers, gas-rings, plate warmers and similar non-electric domestic appliances, and parts thereof, of iron or steel.
		- Cooking appliances and plate warmers :
35	7321.11.00	-- For gas fuel or for both gas and other fuels
36	7321.12.00	-- For liquid fuel
	7321.19	-- Other, including appliances for solid fuel :
37	7321.19.10	--- For solid fuel
38	7321.19.90	--- Other
		- Other appliances :
39	7321.81.00	-- For gas fuel or for both gas and other fuels
40	7321.89.00	-- Other, including appliances for solid fuel
	7321.90	- Parts :
41	7321.90.20	-- Of cooking appliances and plate warmers using gas fuel
42	7321.90.90	-- Other

– DATA SHEET –

BUREAU VERITAS

Group C		
	HS Code	Description of Goods
	73.23	Table, kitchen or other household articles and parts thereof, of iron or steel; iron or steel wool; pot scourers and scouring or polishing pads, gloves and the like, of iron or steel.
43	7323.93.10	--- Kitchenware
44	7323.93.90	--- Other
45	7323.94.00	-- Of iron (other than cast iron) or steel, enameled
	7323.99	-- Other :
46	7323.99.10	--- Kitchenware
47	7323.99.90	--- Other
	73.24	Sanitary ware and parts thereof, of iron or steel.
	7324.10	- Sinks and wash basins, of stainless steel :
48	7324.10.10	-- Kitchen sinks
49	7324.10.90	-- Other
50	7324.90.91	--- Parts of kitchen sinks or bathtubs
	73.25	Other cast articles of iron or steel.
		- Other :
51	7325.91.00	-- Grinding balls and similar articles for mills
	73.26	Other articles of iron or steel.
		- Forged or stamped, but not further worked :
52	7326.11.00	-- Grinding balls and similar articles for mills
53	7326.19.00	-- Other
	7326.20	- Articles of iron or steel wire :
54	7326.20.90	-- Other
	7326.90	- Other :
		-- Other :
55	7326.90.99	--- Other